

Message

---

**From:** Blust, Molly E. [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=B941E3384F0E4936A282E9E42EE090AD-BLUST, MOLL]  
**Sent:** 6/27/2019 8:57:14 PM  
**To:** Green, Richard [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=80b69be2dc1642fb864b8bfb7f1b875b-Green, Richard]; Baron, Adam [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=563ef058707d4930868c6cf1e0828a43-Baron, Adam]; Duvil, Ricardi [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=7b07dbc66afd4b20a424696e8e0debf7-Duvil, Rica]; Manheimer, Jenna [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=5a94674efcd24005ac6b10d9747ab9ee-Manheimer, Jennifer]  
**Subject:** RE: Correspondence with Sidwalter PWS

Thanks for the responses – wasn't sure if Sidwalter would have come up but good to double check.

Adam – Michelle shot you an email in response to your reply – thanks for bringing up!

Best,  
Molly

---

**From:** Green, Richard  
**Sent:** Thursday, June 27, 2019 1:54 PM  
**To:** Baron, Adam <Baron.Adam@epa.gov>; Blust, Molly E. <blust.molly@epa.gov>; Duvil, Ricardi <duvil.ricardi@epa.gov>; Manheimer, Jenna <Manheimer.Jennifer@epa.gov>  
**Subject:** RE: Correspondence with Sidwalter PWS

Hi all. I don't recall this coming up at the WS funding meeting – primary discussion was on the BWO, and long term fix/funding for SW system.

Rick Green, Regional Coordinator  
State Revolving Fund  
Region 10 EPA  
(206) 553-8504  
[green.richard@epa.gov](mailto:green.richard@epa.gov)  
<https://www.epa.gov/dwsrf>  
<https://www.epa.gov/cwsrf>

---

**From:** Baron, Adam  
**Sent:** Thursday, June 27, 2019 9:57 AM  
**To:** Blust, Molly E. <[blust.molly@epa.gov](mailto:blust.molly@epa.gov)>; Duvil, Ricardi <[duvil.ricardi@epa.gov](mailto:duvil.ricardi@epa.gov)>; Manheimer, Jenna <[Manheimer.Jennifer@epa.gov](mailto:Manheimer.Jennifer@epa.gov)>; Green, Richard <[Green.Richard@epa.gov](mailto:Green.Richard@epa.gov)>  
**Subject:** RE: Correspondence with Sidwalter PWS

Nothing here, in fact this is the first I knew that there were sig dif at Warm Springs systems other than those I issued the 1414 on.

If there's a notice letter going out, let's make sure that goes to Travis Wells and not higher up. It's already a complicated situation there.



---

**Adam Baron**

Drinking Water Enforcement Officer  
Field, Data, & Drinking Water Enforcement Section  
Enforcement and Compliance Assurance Division  
U.S. Environmental Protection Agency, Region 10  
1200 Sixth Avenue, Suite 155  
Seattle, Washington 98101  
Office (206) 553-6361  
[baron.adam@epa.gov](mailto:baron.adam@epa.gov)

---

---

**From:** Blust, Molly E.

**Sent:** Thursday, June 27, 2019 9:28 AM

**To:** Duvil, Ricardi <[duvil.ricardi@epa.gov](mailto:duvil.ricardi@epa.gov)>; Manheimer, Jenna <[Manheimer.Jennifer@epa.gov](mailto:Manheimer.Jennifer@epa.gov)>; Baron, Adam <[Baron.Adam@epa.gov](mailto:Baron.Adam@epa.gov)>; Green, Richard <[Green.Richard@epa.gov](mailto:Green.Richard@epa.gov)>

**Subject:** Correspondence with Sidwalter PWS

Hi All –

I'm helping Michelle with updating some information for a ground water deficiency violation that will be going out to Sidwalter (GW system at Warm Springs). She listed you four as the people to check in with about information on the system. Michelle was especially wondering if Sidwalter had come up during any conversations that were had at/about the surface water system? If so and that info isn't contained in the Correspondence folder on the G drive, could you send it over to me? Any notes/calls/emails you may have dealing with Sidwalter since mid-November 2018 would be very useful!

Thanks so much,  
Molly

Molly Blust  
ORISE Participant  
ORISE Internship/Research Participation Program at EPA  
Water Division  
Groundwater and Drinking Water Section  
U.S. Environmental Protection Agency, Region 10  
Phone Number: (206) 553-1058  
[blust.molly@epa.gov](mailto:blust.molly@epa.gov)